



4860 SERIES

Turn the tables on dirt

4860 SERIES



Turn the tables on dirt


The Cuda 4860 features a turntable diameter of 48-inches, working height of 60-inches, and load capacity of 5000 lbs. The 4860 Series is equipped with a 7.5 HP vertical seal-less pump producing 200 GPM at 50 PSI, and has a 156-gallon sump capacity.

Aqueous parts washers clean faster and better without using harmful solvents!

Cuda automatic parts washers provide a safe and efficient solution to cleaning parts because they don't use harmful cleaning solvents to clean. Our automatic parts washers also provide a time-saving, easy parts cleaning solution for your staff allowing them to simultaneously clean parts while performing other tasks.











1 Safety Switch

■ Door safety switch protects the operator from hot water spray if roll-in door is opened.

2 Compact Footprint

- Space saving roll-in door allows easy access to the wash chamber.
- Reduces footprint over other traditional parts washers.
- Roll-in door prevents wash solution from dripping on the shop floor.

3 Customize and Accessorize

■ Customize your parts washer to your specific needs, like with this deluxe kit, so washing becomes the easiest part of the work day.

Detergents Engineered for Aqueous Parts Washers

■ Cuda detergents contain advanced formulas engineered specifically for use in aqueous parts washers and their specialized needs. Our advanced formulas include an exclusive multi-metal corrosion inhibitor for rust-protection.

TECHNICAL DATA AND EQUIPMENT

Front-Load Series Comparison



Features

- = Vertical / Seal-less Pump: 7.5 HP / 200 GPM / 50 PSI
- = 5,000 Lbs. Load Capacity, determined with even weight distribution
- = 156 Gal. Sump Capacity
- = (2) 9 kW Heaters

- = Automatic Oil Skimmer
- = Low Water Shutdown
- = Optional 12" Height Extension
- = Machine: 75"L x 66"W x 105"H

Technical data						
Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
4860	1.043-444.0	60"	48"	230/3	55	2457
4860	1.043-519.0	60"	48"	208/3	60	2457
4860	1.043-445.0	60"	48"	460/3	32	2457
4860	1.043-446.0	60"	48"	575/3	26	2457
Stainless Steel Models						
4860	1.043-510.0	60"	48"	230/3	55	2457
4860	1.043-520.0	60"	48"	208/3	60	2457
4860	1.043-511.0	60"	48"	460/3	32	2457
4860	1.043-512.0	60"	48"	575/3	26	2457

Note: Standard 4860 ships by flatbed and does not qualify for free freight.

Standard Accessories

Part No.	Description	
8.916-220.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container	

Optional Accessories				
Part No.	Description	Part No.	Description	
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day	
8.749-392.0	48" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	
8.916-341.0	2 Stage Filtration	8.924-172.0	Oil Drain Container	
8.916-342.0	Filtration & Sump Sweep, 2 Stage	9.802-283.0	Hour Meter	
8.916-365.0	12" Height Extension	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")	
8.749-395.0	60 Mesh Insert for Debris Screen Tray	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")	
8.749-396.0	4 Hook Parts Tree	8.753-826.0	Medium Duty Large Parts Basket (18" x 16" x 8")	
8.749-492.0	Two-Tier Turntable ●	8.723-214.0	Gray Spray Paint (FOB Arkansas, cannot ship air)	
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink			

[•] Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Standard Accessories

Part No.	Description			
	Steel Reinforced Door/Cabinet/Apron – Turntable has a floor grate top - Built to last!			

Stainless Optional Accessories					
Part No.	Description	Part No.	Description		
	Stainless Two-Tier Turntable		Stainless Pump Motor		
	Stainless Parts Tree		Stainless Oil Bucket		
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled (Camas only)		

Note: Stainless filtration - please call 1-844-394-4412 for more information.

Contact us for more information

HPI Processes Inc 1030 Revenue Drive Telford, PA 18969

for sales and technical support call 215-799-0450

sales@hpipro.com