



3648 SERIES

Simply immaculate a yard at a time

3648 SERIES



Simply immaculate a yard at a time

The Cuda 3648 features a turntable diameter of 36-inches, working height of 48-inches, and load capacity of 2500 lbs. The 3648 Series is equipped with a 7.5 HP vertical seal-less pump producing 150 GPM at 50 PSI, and has a 113-gallon sump capacity. It also includes upgraded features such as a more durable control panel, easier to replace handle, stainless steel sump covers, and external plumbing making it the easiest to maintain Cuda yet!

Aqueous parts washers clean faster and better without using harmful solvents!

Cuda automatic parts washers provide a safe and efficient solution to cleaning parts because they don't use harmful cleaning solvents to clean. Our automatic parts washers also provide a time-saving, easy parts cleaning solution for your staff allowing them to simultaneously clean parts while performing other tasks.









Blockage Free

■ Removable debris screen (standard all models) prevents small particles and loose parts from entering the cleaning solution, ensuring blockage-free spray-nozzle operation.

2 Compact Footprint

- Space saving roll-in door allows easy access to the wash chamber.
- Reduces footprint over other traditional parts washers.
- Roll-in door prevents wash solution from dripping on the shop floor.

3 Customize and Accessorize

■ Customize your parts washer to your specific needs, like with this deluxe kit, so washing becomes the easiest part of the work day.

Detergents Engineered for Aqueous Parts Washers

■ Cuda detergents contain advanced formulas engineered specifically for use in aqueous parts washers and their specialized needs. Our advanced formulas include an exclusive multi-metal corrosion inhibitor for rust-protection.

TECHNICAL DATA AND EQUIPMENT

Front-Load Series Comparison



Features

- Vertical / Seal-less Pump: 7.5 HP / 150 GPM / 50 PSI
- 2,500 Lbs. Load Capacity, determined with even weight distribution
- 113 Gal. Sump Capacity
- (2) 9 kW Heaters

- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 57"L x 49"W x 94"H
- Shipping: 63"L x 76"W x 100"H

Technical data						
Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
3648	1.043-477.0	48"	36"	230/3	58	1770
3648	1.043-508.0	48"	36"	208/3	70	1770
3648	1.043-478.0	48"	36"	460/3	32	1770
3648	1.043-479.0	48"	36"	575/3	28	1770
Stainless Steel Mode	els					
3648	1.043-507.0	48"	36"	230/3	58	1770
3648	1.043-509.0	48"	36"	208/3	70	1770
3648	1.043-506.0	48"	36"	460/3	32	1770
3648	1.043-505.0	48"	36"	575/3	28	1770

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.922-632.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories						
Part No.	Description	Part No.	Description			
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day			
8.753-767.0	36" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day			
8.921-972.0	2 Stage Filtration	8.924-172.0	Oil Drain Container			
8.921-973.0	Filtration & Sump Sweep, 2 Stage	9.802-283.0	Hour Meter			
8.749-396.0	4 Hook Parts Tree	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")			
8.921-971.0	Two-Tier Turntable ●	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")			
8.749-395.0	60 Mesh Insert for Debris Screen Tray	8.753-826.0	Medium Duty Large Parts Basket (18" x 16" x 8")			
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.723-214.0	Gray Spray Paint (cannot ship air)			

• Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories						
Part No.	Description	Part No.	Description			
	Stainless Two-Tier Turntable		Stainless Pump Motor			
	Stainless Parts Tree		Stainless Oil Bucket			
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled			

Note: Stainless filtration - please call 1-844-394-4412 for more information.

Contact us for more information

HPI Processes Inc 1030 Revenue Drive Telford, PA 18969

for sales and technical support call 215-799-0450

sales@hpipro.com